

Safety Data Sheet according to Regulation (EU) 2020/878 Date of issue: 05.07.2024

Revision date: -

Version/Replaced version: 1.0/-

<b>SECTION 1: Identification of the subst</b>	ance/mixture and of the company/undertaking
1.1. Product identifier	
Product form :	Mixture
Product name :	Part B LiqRep Metal - Resin
Product code :	B53.810
UFI :	HQYE-A0Q1-700T-WJMN
1.2. Relevant identified uses of the substant	nce or mixture and uses advised against
1.2.1.       Relevant identified uses         Intended for general public         Use of the substance/mixture       :	Two-component glue: resin
1.2.2.Uses advised againstNo additional information available	
1.3. Details of the supplier of the safety da	ta sheet
Manufacturer ElringKlinger AG Max-Eyth-Straße 2 72581 Dettingen/Erms - Germany T +49 (0)7123 724 799 det.iam.sdb@elringklinger.com	Supplier

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

#### 1.4. **Emergency telephone number**

Country	Organisation/Company	Address	Emergency number
Germany	Giftinformationszentrum (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität	Robert-Koch Straße 40 37075 Göttingen	+49 551 19240

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Sensitisation - Skin, category 1 H317

Hazardous to the aquatic environment - Chronic Hazard, Category 2 H411

Full text of H-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

#### Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. 2.2. **Label elements** Labelling according to Regulation (EC) No 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 GHS09 Signal word (CLP) : Warning Hazardous ingredients : Bis-[4-(2,3-epoxipropoxi)phenyl]propane Hazard statements (CLP) : H315 - Causes skin irritation H319 - Causes serious eye irritation H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection. P391 - Collect spillage. en(IE, MT) 05.07.2024

Safety Data Sheet according to Regulation (EU) 2020/878

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. **Other hazards**

The mixture does not contain substance(s) classified as PBT or vPvB in concentrations above 0.1%.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### SECTION 3: Composition/information on ingredients

3.1. **Substances** 

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	(CAS No) 1675-54-3 (EC No) 216-823-5 (Index No) 603-073-00-2 (REACH No) 01-2119456619-26-xxxx	80 - 99	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Name	Product identifier		ntration limits according to C) No 1272/2008 [CLP]
Bis-[4-(2,3-epoxipropoxi)phenyl]propane	(CAS No) 1675-54-3 (EC No) 216-823-5 (Index No) 603-073-00-2 (REACH No) 01-2119456619-26-xxxx	(C ≥ 5) Eye Irrit. 2, H319 (C ≥ 5) Skin Irrit. 2, H315	

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this, show him the packaging or label. Never give anything by mouth to an unconscious person. Place the affected person in the recovery position.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Drink water as a precaution. Do NOT induce vomiting.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medica	I attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing agents that suit the environment. Carbon dioxide. Extinguishing powder. Water spray. For a significant fire: Alcohol resistant foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
Hazardous decomposition products in case of fire	: Carbon dioxide. Carbon monoxide. Toxic gases and vapors.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Use a self-contained breathing apparatus and also a protective suit.
SECTION 6: Accidental release mea	
	uipment and emergency procedures
General measures	: Provide adequate ventilation. Do not breathe vapours. Avoid contact with skin and eyes.
	. Trondo adoquato vontilation. Do not breathe vapours. Avoid contact with skin alle cycs.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.

# Part B LiqRep Metal - Resin Safety Data Sheet

6.1.2. For emergency responders Protective equipment	: Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
	ify authorities if product enters sewers or public waters.
6.3. Methods and material for containm	
Methods for cleaning up	If spilled, may cause the floor to be slippery. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible Keep in suitable, closed containers for disposal. Dispose of in accordance with relevant local regulations.
6.4. Reference to other sections	
Exposure controls and personal protection, see	section 8. Concerning disposal elimination after cleaning, see section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid breathing vapours. Avoid contact with skin
recautions for sale handling	and eyes. Wear personal protective equipment.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Storage conditions	<ul> <li>Store in original container. Keep container tightly closed. Store in a dry, cool and well-ventilate place. Protect from heat and direct sunlight.</li> </ul>
Storage temperature	: 10 – 20 °C
Prohibitions on mixed storage	: Keep away from food, drink and animal feedingstuffs.
SECTION 8: Exposure controls/pers	sonal protection
8.1. Control parameters	
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1	
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers)	1675-54-3)
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal	1675-54-3) 0.75 mg/kg bodyweight/day
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation	1675-54-3)
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population)	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup>
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation	1675-54-3) 0.75 mg/kg bodyweight/day
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup> 0.5 mg/kg bodyweight/day
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m³ 0.5 mg/kg bodyweight/day 89.3 μg/kg bodyweight/day
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, inhalation	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m³ 0.5 mg/kg bodyweight/day 89.3 μg/kg bodyweight/day
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEC (Water) PNEC aqua (freshwater) PNEC aqua (marine water)	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup> 0.5 mg/kg bodyweight/day 89.3 µg/kg bodyweight/day 0.87 mg/m <sup>3</sup>
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEC (Water) PNEC aqua (freshwater)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 μg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEC (Water) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, marine water)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 μg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEC (Water) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 μg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l         0.018 mg/l
8.1. Control parameters Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1 DNEL/DMEL (Workers) Long-term - systemic effects, dermal Long-term - systemic effects, inhalation DNEL/DMEL (General population) Long-term - systemic effects, oral Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEC (Water) PNEC aqua (freshwater) PNEC aqua (intermittent, freshwater) PNEC aqua (intermittent, marine water)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 μg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l         0.018 mg/l
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC (Sediment)         PNEC sediment (freshwater)         PNEC sediment (marine water)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 μg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l         0.018 mg/l         0.002 mg/l
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC (Sediment)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC sediment (marine water)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 µg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l         0.018 mg/l         0.002 mg/l         0.341 mg/kg dwt         0.034 mg/kg dwt
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC (Sediment)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC (Soil)         PNEC (Soil)	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup> 0.5 mg/kg bodyweight/day 89.3 µg/kg bodyweight/day 0.87 mg/m <sup>3</sup> 0.006 mg/l 0.001 mg/l 0.018 mg/l 0.018 mg/l 0.002 mg/l 0.341 mg/kg dwt
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC (Sediment)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC soil         PNEC (Soil)         PNEC (Oral)	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup> 0.5 mg/kg bodyweight/day 89.3 µg/kg bodyweight/day 0.87 mg/m <sup>3</sup> 0.006 mg/l 0.001 mg/l 0.018 mg/l 0.002 mg/l 0.341 mg/kg dwt 0.034 mg/kg dwt 0.065 mg/kg dwt
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC soil         PNEC (Soil)         PNEC soil         PNEC oral (secondary poisoning)	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup> 0.5 mg/kg bodyweight/day 89.3 µg/kg bodyweight/day 0.87 mg/m <sup>3</sup> 0.006 mg/l 0.006 mg/l 0.001 mg/l 0.018 mg/l 0.018 mg/l 0.018 mg/l 0.02 mg/l
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC sediment)         PNEC sediment (marine water)         PNEC (Soil)         PNEC soil         PNEC soil         PNEC oral (secondary poisoning)         PNEC (STP)	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 µg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.006 mg/l         0.01 mg/l         0.002 mg/l         0.341 mg/kg dwt         0.341 mg/kg dwt         0.065 mg/kg dwt
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC sediment (freshwater)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC (Soil)         PNEC coral (secondary poisoning)         PNEC (STP)         PNEC sewage treatment plant	1675-54-3) 0.75 mg/kg bodyweight/day 4.93 mg/m <sup>3</sup> 0.5 mg/kg bodyweight/day 89.3 µg/kg bodyweight/day 0.87 mg/m <sup>3</sup> 0.006 mg/l 0.001 mg/l 0.018 mg/l 0.018 mg/l 0.002 mg/l 0.341 mg/kg dwt 0.034 mg/kg dwt
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC sediment (marine water)         PNEC soil         PNEC (Soil)         PNEC oral (secondary poisoning)         PNEC (STP)         PNEC sewage treatment plant         8.2.	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 µg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l         0.018 mg/l         0.341 mg/kg dwt         0.341 mg/kg dwt         0.065 mg/kg dwt         11 mg/kg food         10 mg/l
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC sediment (marine water)         PNEC sediment (freshwater)         PNEC soil         PNEC coral (secondary poisoning)         PNEC (STP)         PNEC sewage treatment plant         8.2.       Exposure controls         Appropriate engineering controls	1675-54-3)  0.75 mg/kg bodyweight/day 4.93 mg/m³  0.5 mg/kg bodyweight/day 89.3 µg/kg bodyweight/day 0.87 mg/m³  0.006 mg/l 0.001 mg/l 0.001 mg/l 0.002 mg/l  0.341 mg/kg dwt 0.034 mg/kg dwt 0.065 mg/kg dwt 11 mg/kg food 10 mg/l  Provide local exhaust or general room ventilation to minimize vapour concentrations.
8.1.       Control parameters         Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         DNEL/DMEL (General population)         Long-term - systemic effects, oral         Long-term - systemic effects, dermal         Long-term - systemic effects, dermal         Long-term - systemic effects, inhalation         PNEC (Water)         PNEC aqua (freshwater)         PNEC aqua (intermittent, freshwater)         PNEC aqua (intermittent, marine water)         PNEC sediment (freshwater)         PNEC sediment (marine water)         PNEC sediment (marine water)         PNEC soil         PNEC (Soil)         PNEC oral (secondary poisoning)         PNEC (STP)         PNEC sewage treatment plant         8.2.	1675-54-3)         0.75 mg/kg bodyweight/day         4.93 mg/m³         0.5 mg/kg bodyweight/day         89.3 µg/kg bodyweight/day         0.87 mg/m³         0.006 mg/l         0.001 mg/l         0.018 mg/l         0.002 mg/l         0.034 mg/kg dwt         0.065 mg/kg dwt         11 mg/kg food         10 mg/l

# Part B LiqRep Metal - Resin Safety Data Sheet

Satety Data Sheet ccording to Regulation (EU) 2020/878	
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Respiratory protection with filter type A/P2 (EN 14387).
Environmental exposure controls	: Avoid release to the environment.
SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid.
Colour	: White
Odour	: Characteristic, slight
Melting point/freezing point	: No data available
Boiling point or initial boiling point and boiling range	: No data available
Flammability	: No data available
Lower and upper explosion limit	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
DH	: No data available
Kinematic viscosity	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (log value)	: Not applicable
Vapour pressure	: No data available
Density and/or relative density	: No data available
Relative vapour density	: No data available
Particle characteristics	: Not applicable
9.2. Other information	
9.2.1. Information with regard to physical	I hazard classes
Explosive properties	: None
Oxidising properties	: None
9.2.2. Other safety characteristics	
Viscosity	: Thixotropic behaviour
SECTION 10: Stability and reactivity	y de la constante de
10.1. Reactivity	
No dangerous reactions known under normal co	onditions of use.
10.2. Chemical stability	

Stable under use and storage conditions as recommended in section 7.

10.3.	Possibility of hazardous reactions

None under normal use.

#### **Conditions to avoid** 10.4.

Protect from heat and direct sunlight.

Incompatible materials 10.5.

Oxidizing agents.

Hazardous decomposition products 10.6.

No hazardous decomposition products known at room temperature. In case of fire: Carbon dioxide. Carbon monoxide. Toxic gases and vapours.

#### SECTION 11: Toxicological information

11.1.	Information on hazard classes as defined	d in Regulation (EC) No 1272/2008
Acute tox	xicity	Not classified
		Based on available data, the classification criteria are not met

Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.

Safety Data Sheet according to Regulation (EU) 2020/878

Acute aquatic toxicity

Germ cell mutagenicity	: Not classified Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
11.2. Information on other hazards	
<b>11.2.1.</b> Endocrine disrupting properties Endocrine disruption for human health	: The substance/mixture has no endocrine disrupting properties.
<b>11.2.2.</b> Other information No additional information available	
<b>SECTION 12: Ecological information</b>	1
12.1. Toxicity	

Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.	
Bis-[4-(2,3-epoxipropoxi)phenyl]propane (1675-54-3)		
LC50 fish	1.2 mg/l 96 h, Oncorhynchus mykiss	
EC50 daphnia	1.7 mg/l 48 h, Daphnia magna	
EC50 algae	> 11 mg/l 72 h, Scenedesmus capricornutum	
NOEC daphnia	0.3 mg/l 21 d, Daphnia magna	
NOEC algae	4.2 mg/l 72 h, Scenedesmus capricornutum	
12.2. Persistence and degradabil	ity	

: Not classified

Persistence and degradability	Not readily biodegradable.	
Biodegradation	5 %, 28 d (OECD 301 F)	
12.3. Bioaccumulative potential		
Bis-[4-(2,3-epoxipropoxi)phenyl]propa	ne (1675-54-3)	
Partition coefficient n-octanol/water (Log	Pow) 3.242 (25 °C)	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB asse	Results of PBT and vPvB assessment	
	nd Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.	

: The substance/mixture has no endocrine disrupting properties.

12.6. Endocrine disrupting properties

#### Endocrine disruption for the environment

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Regional legislation (waste)	: Dispose in a safe manner in accordance with local/national regulations.			
Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point. Do not empty into drains.			
Waste disposal recommendations	<ul> <li>Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.</li> </ul>			
European List of Waste (LoW) code	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances			
Waste code	: The valid EWC waste code numbers are source related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users.			

# Part B LiqRep Metal - Resin Safety Data Sheet according to Regulation (EU) 2020/878


<b>SECTION 14: Transport information</b>	on
In accordance with ADR / IMDG / IATA	
14.1. UN number or ID number	
UN-No. (ADR)	: UN 3082
UN-No. (IMDG)	: UN 3082
UN-No. (IATA)	: UN 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	<ul> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3- epoxipropoxi)phenyl]propane)</li> </ul>
Proper Shipping Name (IMDG)	<ul> <li>ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3- epoxipropoxi)phenyl]propane)</li> </ul>
Proper Shipping Name (IATA)	: Environmentally hazardous substance, solid, n.o.s. (Bis-[4-(2,3-epoxipropoxi)phenyl]propane)
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bis-[4-(2,3- epoxipropoxi)phenyl]propane), 9, III, (-)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxipropoxi)phenyl]propane), 9, III, MARINE POLLUTANT
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3-epoxipropoxi)phenyl]propane), 9, III
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9

#### IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)



ΙΑΤΑ
Transport hazard class(es) (IATA)
Danger labels (IATA)



14.4. Packing group		
Packing group (ADR)	: 111	
Packing group (IMDG)	: 111	
Packing group (IATA)	: 111	
14.5. Environmental hazards		
Dangerous for the environment	: Yes	
Marine pollutant	: Yes	
Other information	: No supplementary information available.	
14.6. Special precautions for user		
Overland transport		
Classification code (ADR)	: M6	
Special provisions (ADR)	: 274, 335, 375, 601	
Limited quantities (ADR) : 5L		
Excepted quantities (ADR)	: E1	
05.07.2024	en(IE, MT)	6/8

#### Safety Data Sheet

according to Regulation (EU) 2020/878

aco	cording to Regulation (EU) 2020/878		
F	Packing instructions (ADR)	:	P001, IBC03, LP01, R001
	pecial packing provisions (ADR)		PP1
	lixed packing provisions (ADR)	:	MP19
	Portable tank and bulk container instructions	:	Τ4
()	ADR)		
	Portable tank and bulk container special	:	TP1, TP29
	rovisions (ADR)		
	ank code (ADR)	:	LGBV
	ehicle for tank carriage	:	AT
	ransport category (ADR)	:	3
S	pecial provisions for carriage - Packages (ADR)	:	V12
S	pecial provisions for carriage - Loading,	:	CV13
	nloading and handling (ADR)		
	lazard identification number (Kemler No.)	:	90
	Drange plates	:	
	0		90
			3082
			3082
т	unnel restriction code (ADR)	:	-
'		•	-
Т	ransport by sea		
S	special provisions (IMDG)	:	274, 335, 969
L	imited quantities (IMDG)	:	5 L
E	Excepted quantities (IMDG)	:	E1
	Packing instructions (IMDG)	:	LP01, P001
	pecial packing provisions (IMDG)		PP1
		:	IBC03
	ank instructions (IMDG)	:	Τ4
Т	ank special provisions (IMDG)	:	TP1, TP29
	mS-No. (Fire)	:	F-A
	mS-No. (Spillage)	:	S-F
	towage category (IMDG)	:	А
	5 5 <b>7</b> ( )		
A	ir transport		
F	CA Excepted quantities (IATA)	:	E1
F	PCA Limited quantities (IATA)	:	Y964
F	CA limited quantity max net quantity (IATA)	:	30kgG
F	CA packing instructions (IATA)	:	964
F	CA max net quantity (IATA)	:	450L
C	CAO packing instructions (IATA)	:	964
C	CAO max net quantity (IATA)	:	450L
S	pecial provisions (IATA)	:	A97, A158, A197, A215
E	RG code (IATA)	:	9L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List.

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer).

Safety Data Sheet

according to Regulation (EU) 2020/878

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information	
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Changes compared to the previous version	· _

Changes compared to the previous version

#### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-phrases:

Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation - Skin, Category 1
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.