



Das Original

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

Date of issue: 12.07.2024

Revision date: -

Version/Replaced version: 1.0/-

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Part B LiqRep Plastic - Polyol
Product code : B53.900

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : Two-component glue: Polyol

1.2.2. Uses advised against

Restrictions on use : Consumer use, In household use

1.3. Details of the supplier of the safety data sheet

Manufacturer (Germany)

ElringKlinger AG
Max-Eyth-Straße 2
72581 Dettingen/Erms - Germany
T +49 (0)7123 724 799
det.iam.sdb@elringklinger.com

Supplier

Manufacturer (England)

Elring Parts Ltd
Unit 2, Derwent Court
Earlsway Team Valley Trading Estate
Gateshead
Tyne and Wear
NE11 TF - England
Sales T +44 191 4915678 - F +44 191 4875001
sales@elringparts.co.uk

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Germany	Giftinformationszentrum (GIZ-Nord) Universitätsmedizin Göttingen - Georg-August-Universität	Robert-Koch Straße 40 37075 Göttingen	+49 551 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP

Serious eye damage/eye irritation, Category 2 H319

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

2.2. Label elements

Labelling according to GB CLP

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P264 - Wash hands and face thoroughly after handling.
P280 - Wear protective gloves/protective clothing/eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

EUH-statements : EUH208 - Contains tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP
1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol	(CAS No) 102-60-3 (EC No) 203-041-4	< 20	Eye Irrit. 2, H319
2-butyl-2-ethylpropanediol	(CAS No) 115-84-4 (EC No) 204-111-7	< 5	Eye Irrit. 2, H319
2,2,4-trimethylpentane-1,3-diol	(CAS No) 144-19-4 (EC No) 205-619-1	< 5	Eye Irrit. 2, H319
Tetraethyl N, N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate	(CAS No) 136210-30-5 (EC No) 429-270-1 (Index No) 607-521-00-8	< 1	Skin Sens. 1, H317 Aquatic Chronic 3, H412

Other relevant ingredients:

Name	Product identifier	Classification according to GB CLP
Talc (substance with national workplace exposure limit(s))	(CAS No) 14807-96-6 (EC No) 238-877-9	Not classified

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. If possible show him this sheet. Failing this, show him the packaging or label. Never give anything by mouth to an unconscious person. Place the affected person in the recovery position.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Drink water as a precaution. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing agents that suit the environment. Carbon dioxide. Extinguishing powder. Water spray. For a significant fire: Alcohol resistant foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.

Protection during firefighting : Use a self-contained breathing apparatus and also a protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Do not breathe vapour/aerosol. Provide adequate ventilation to minimize vapour concentrations. If spilled, may cause the floor to be slippery.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required. In case of inadequate ventilation wear respiratory protection. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions	
Prevent entry to sewers and public waters.	

6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Keep in suitable, closed containers for disposal. Dispose of in accordance with relevant local regulations.

6.4. Reference to other sections	
Exposure controls and personal protection, see section 8. Concerning disposal elimination after cleaning, see section 13.	

SECTION 7: Handling and storage

7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid breathing vapours, spray. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities	
Storage conditions	: Store in original container. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Protect from heat and direct sunlight.
Prohibitions on mixed storage	: Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)	
Two-component glue: Polyol.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Talc (14807-96-6)		
United Kingdom	Local name	Talc, respirable dust
United Kingdom	WEL TWA (mg/m³)	1 mg/m³

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol (102-60-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	29.4 mg/m³
Long-term - systemic effects, dermal	4.2 mg/kg bodyweight/day
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	2.5 mg/kg bodyweight/day
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	8.7 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	0.295 mg/l
PNEC aqua (marine water)	0.029 mg/l
PNEC aqua (intermittent, freshwater)	1.2 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	1.18 mg/kg dry weight
PNEC sediment (marine water)	0.118 mg/kg dry weight
PNEC (Soil)	
PNEC soil	0.063 mg/kg dry weight
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l

8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation to minimize vapour concentrations.
Hand protection	: Wear suitable gloves (EN 374). The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection	: Chemical goggles or safety glasses (EN 166).
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Respiratory protection with filter type A/P (EN 14387).
Environmental exposure controls	: Avoid release to the environment.

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	: Liquid. Colourless
Odour	: Characteristic, slight
Odour threshold	: No data available
pH	: 9
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 240 °C (1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol)
Flash point	: 191 °C (1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol)
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: None
Oxidising properties	: None

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

10.3. Possibility of hazardous reactions

None under normal use.

10.4. Conditions to avoid

Protect from heat and direct sunlight.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No hazardous decomposition products known. In case of fire: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
	Based on available data, the classification criteria are not met

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol (102-60-3)

LD50 oral rat	2890 mg/kg
LD50 dermal rat	> 2000 mg/kg

Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

Reproductive toxicity	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Endocrine disruption for human health: The substance/mixture has no endocrine disrupting properties.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol (102-60-3)	
LC50 fish	> 120 mg/l 96 h, Danio rerio
EC10 algae	14.746 mg/l 72 h, Raphidocelis subcapitata
NOEC daphnia	≥ 12 mg/l 21 d, Daphnia magna
NOEC algae	3.2 mg/l 72 h, Raphidocelis subcapitata

12.2. Persistence and degradability

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol (102-60-3)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	20 %, 28 d

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

12.6. Other adverse effects

Endocrine disruption for the environment	: The substance/mixture has no endocrine disrupting properties.
--	---

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Dispose of this material and its container at hazardous or special waste collection point. Do not empty into drains.
Waste disposal recommendations	: Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.
List of Waste (LoW) code	: 08 04 09* - waste adhesives and sealants containing organic solvents or other dangerous substances
Waste code	: The valid LoW waste code numbers are source related. The manufacturer is therefore unable to specify LoW waste code for the articles or products used in the various sectors. The LoW codes listed are intended as a recommendation for users.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

ADR

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available.

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Contains no substance(s) listed on UK REACH Annex XIV (Authorisation List).

Contains no substance (s) listed on the UK REACH Candidate List.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 No. 720 as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.

Changes compared to the previous version : -

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet

Part B LiqRep Plastic - Polyol

Safety Data Sheet

according to UK REACH

STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-phrases:

Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains May produce an allergic reaction.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.